AUTHOR INDEX

Page numbers in italics indicate biographic notes about the authors concerned.

Ajayi, O. O., 237, *259*
Akazawa, M., 123, *259*
Anderson, M. P., 133
Awazu, K., 21, *119*

Beynon, J. H., 45, *119*
Blank, P., 327
Blau, P. J., 1, 291, *119*, *347*
Blickensderfer, R., 217, *259*
Brightling, J. R., 45, *119*
Briscoe, B. J., 177, *259*

Collins, W. K., 217

Dobbs Jr., D. L., 105, *119*

Evans, P. D., 177, *259*

Fischer, T. E., 133
Frisch, B., 331, *347*

Garnham, J. E., 45, *119*

Hutchings, I. M., 149, 165, *259*

Iwai, Y., 21, *120*

Jahanmir, S., 133
Jansson, U., 195, *259*

Kato, K., 123, *260*
Keiser, J. R., 105, *120*
Kim, J.-S., 331, *347*
Krell, A., 327

Laird II, G., 217
Lancaster, J. K., 177, *260*
Ludema, K. C., 237, *260*

Majumdar, B. C., 261, *347*
Majumder, M. C., 261, *347*
McCool, J. I., 341, *347*
Mehan, R. L., 65, *120*
Mercer, A. P., 165, *260*
Messerschmidt, C., 331, *347*

Okada, T., 21, *120*
Oliver, W. C., 105, *120*
Olsson, M., 195, *260*

Pyun, S.-I., 331, *348*

Ramakrishna Rao, P. K., 33, *120*

Salher, R., 133
Samuels, B., 337, *348*
Scott Heidersbach, R., 105, *120*
Shapiro, A. J., 1, *121*
Sheu, S., 311, *348*
Shunmugam, M. S., 33, *121*
Söderberg, S., 195, *260*
Stridh, B., 195, *260*

Takahashi, N., 279, *348*

Wang, A. G., 149, *260*
Whitenton, E. P., 1, 291, *121*, *348*
Wilson, W. R. D., 311, *348*

Zum Gahr, K.-H., 87, *121*

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Abrasion
initial frictional behavior during the wear of steel, Al and poly(methyl methacrylate) on abrasive papers, 1
Abrasive wear
on abrasive wear of zirconia-toughened aluminas, 327
the influence of atmospheric composition on the abrasive wear of Ti and Ti–6Al–4V, 165
the influence of debris inclusion on abrasive wear relationships of PTFE, 177
mechanisms of abrasive wear in a boronized alloy steel, 149
modelling of two-body abrasive wear, 87
steady state hydrogen evolution enhanced during the abrasive wear from mild steel, 331
Alloys
characteristics of individual impact craters on selected Al alloys, 105
mechanisms of abrasive wear in a boronized alloy steel, 149
Alumina
on abrasive wear of zirconia-toughened aluminas, 327
Aluminium
characteristics of individual impact craters on selected Al alloys, 105
initial frictional behaviour during the wear of steel, Al and poly(methyl methacrylate) on abrasive papers, 1
the influence of atmospheric composition on the abrasive wear of Ti and Ti–6Al–4V, 165
Asperities
influence of surface topography on viscoplastic asperity lubrication, 311

Bearings
study of pneumatic instability of externally porous gas thrust bearings with slip velocity, 261
Boring Trepanning Association drilling
wear studies in Boring Trepanning Association drilling, 33

Cavitation erosion
effects of plating on cavitation erosion, 21
Ceramics
surface damage of structural ceramics: implications for wear modelling, 237
Contacts
comments on "comparison of models for the contact of rough surfaces", 337
reply to comment on "comparison of models for the contact of rough surfaces", 341
wear properties of Si_3N_4 in rolling–sliding contact, 123
Cracks
crack propagation and spalling of white cast iron balls subjected to repeated impacts, 217

Friction
friction and wear of tough and brittle zirconia in nitrogen, air, water, hexadecane and hexadecane containing stearic acid, 133
Frictional behaviour
initial frictional behaviour during the wear of steel, Al and poly(methyl methacrylate) on abrasive papers, 1

Hard materials
sliding wear of hard materials — the importance of a fresh counter-material surface, 195
Hexadecane
friction and wear of tough and brittle zirconia in nitrogen, air, water, hexadecane and hexadecane containing stearic acid, 133
Hydrogen
steady state hydrogen evolution enhanced during the abrasive wear from mild steel, 331

Impact craters
characteristics of individual impact craters on selected Al alloys, 105

© Elsevier Sequoia/Printed in The Netherlands

Impacts
crack propagation and spalling of white cast iron balls subjected to repeated impacts, 217
Inclusions
the influence of debris inclusion on abrasive wear relationships of PTFE, 177

Lubrication
direct resolution of the layer lattice of molybdenum disulphide by transmission electron microscopy in relation to lubrication, 279
influence of surface topography on viscoplastic asperity lubrication, 311

Molybdenum disulphide
direct resolution of the layer lattice of molybdenum disulphide by transmission electron microscopy in relation to lubrication, 279

Oil contamination
the wear of selected materials in mineral oil containing a solid contaminant, 65
Oils
the wear of selected materials in mineral oil containing a solid contaminant, 65

Poly(methyl methacrylate)
initial frictional behaviour during the wear of steel, Al and poly(methyl methacrylate) on abrasive papers, 1
Polytetrafluoroethylene
the influence of debris inclusion on abrasive wear relationships of PTFE, 177

Rolling
rolling–sliding dry wear testing — a vibration analysis, 45
wear properties of Si_3N_4 in rolling–sliding contact, 123

Silicon nitride
wear properties of Si_3N_4 in rolling–sliding contact, 123
Sliders
a comparison of methods for determining wear volumes and surface parameters of spherically tipped sliders, 291
Sliding
rolling–sliding dry wear testing — a vibration analysis, 45
wear properties of Si_3N_4 in rolling–sliding contact, 123
Sliding wear
sliding wear of hard materials — the importance of a fresh counter-material surface, 195
Spalling
crack propagation and spalling of white cast iron balls subjected to repeated impacts, 217
Stearic acid
friction and wear of tough and brittle zirconia in nitrogen, air, water, hexadecane and hexadecane containing stearic acid, 133
Steel
initial frictional behaviour during the wear of steel, Al and poly(methyl methacrylate) on abrasive papers, 1
mechanisms of abrasive wear in a boronized alloy steel, 149
steady state hydrogen evolution enhanced during the abrasive wear from mild steel, 331
Surfaces
comments on "comparison of models for the contact of rough surfaces", 337
a comparison of methods for determining wear volumes and surface parameters of spherically tipped sliders, 291
influence of surface topography on viscoplastic asperity lubrication, 311
reply to comment on "comparison of models for the contact of rough surfaces", 341
sliding wear of hard materials — the importance of a fresh counter-material surface, 195
surface damage of structural ceramics: implications for wear modelling, 237

Titanium
the influence of atmospheric composition on the abrasive wear of Ti and Ti–6Al–4V, 165
Thrust bearings
study of pneumatic instability of externally porous gas thrust bearings with slip velocity, 261

Transmission electron microscopy
direct resolution of the layer lattice of molybdenum disulphide by transmission electron microscopy in relation to lubrication, 279

Vibration
rolling–sliding dry wear testing — a vibration analysis, 45

Wear
on abrasive wear of zirconia-toughened aluminas, 327
a comparison of methods for determining wear volumes and surface parameters of spherically tipped sliders, 291
friction and wear of tough and brittle zirconia in nitrogen, air, water, hexadecane and hexadecane containing stearic acid, 133
the influence of atmospheric composition on the abrasive wear of Ti and Ti–6Al–4V, 165
the influence of debris inclusion on abrasive wear relationships of PTFE, 177
initial frictional behaviour during the wear of steel, Al and poly(methyl methacrylate) on abrasive papers, 1
mechanisms of abrasive wear in a boronized alloy steel, 149
modelling of two-body abrasive wear, 87
rolling–sliding dry wear testing — a vibration analysis, 45
sliding wear of hard materials — the importance of a fresh counter-material surface, 195
steady state hydrogen evolution enhanced during the abrasive wear from mild steel, 331
surface damage of structural ceramics: implications for wear modelling, 237
the wear of selected materials in mineral oil containing a solid contaminant, 65
wear studies in Boring Trepanning Association drilling, 33
Wear volumes
a comparison of methods for determining wear volumes and surface parameters of spherically tipped sliders, 291
White cast iron
crack propagation and spalling of white cast iron balls subjected to repeated impacts, 217

Zirconia
on abrasive wear of zirconia-toughened aluminas, 327
friction and wear of tough and brittle zirconia in nitrogen, air, water, hexadecane and hexadecane containing stearic acid, 133